

# PUBLICATION OF UNEXAMINED UTILITY MODEL APPLICATION

(11)Publication number : S50-49553  
(43)Date of publication of application : 15.05.1975

(51)Int.Cl. B65F 1/06 (52)Japanese Cl. 126 L 2 92(7)B 36  
(54) A garbage drainer device of four steps of posture kitchens using a nylon bag  
(21)Application number : S48-104532 (71)Applicant : KUNISHIGE Keiko  
(22)Date of filing : 06.09.1973 (72)Inventor : KUNISHIGE Keiko


## (57) Claim of utility model

A garbage drainer device of the kitchen where a bore was emptied into at the bottom of a nylon bag

## [Brief Description of the Drawings]

FIG. 1 is an elevation view of a container. FIG. 2 is a plane view of a container. FIG. 3 is a plane view of the entrance. FIG. 4, FIG. 5, FIG. 6 are nylon bags which emptied small lights guide hole into bottoms (Do paste, and a dotted line part shows a part). FIG. 7 is joined three nylon bags shown in FIG. 4 from FIG. 6. FIG. 8 is assembling drawing.

## [Drawings]



⑤ Int. Cl.<sup>2</sup>  
B 65 F 1/06

⑥ 日本分類  
126 I. 2  
92(7) B 25

⑩ 日本国特許庁  
公開実用新案公報

庁内整理番号 2105-22  
6748-34

⑪ 実開昭50-49553

⑫ 公開 昭50(1975)・5.15

審査請求 未請求 (全3頁)

⑭ ナイロン袋を利用した4段構え台所のゴミ水切り器

⑬ 実 願 昭48-104532  
⑬ 出 願 昭48(1973)9月6日  
⑬ 考 案 者 出願人と同じ  
⑬ 出 願 人 国重恵子  
宇都市藤山区東平原吉田正巳方


⑮ 実用新案登録請求の範囲

ナイロン袋の底に孔を開けた台所のゴミ水切り器。

図面の簡単な説明

図-1は容器の立面図。図-2は容器の平面図。図-3は水切りの平面図。図-4、図-5、図-6は底に小孔を開けたナイロン袋（点線部はのりしろを示す）。図-7は図-4～図-6に示した3つのナイロン袋を接合したもの。図-8は組立図。


第1図




第2図




第 3 圖




第 4 圖




第 5 圖



第 6 圖



第 7 圖






図-8

実用新案登録出願人 国重電子